

Anlet Plus

(Clopidogrel 75 mg + Aspirin 75 mg)

Presentation

Each film coated tablet contains Clopidogrel Bisulphate INN equivalent to Clopidogrel 75 mg & Aspirin USP 75 mg.

Description:

Anlet Plus is a fixed dose combination containing Clopidogrel and Aspirin. Clopidogrel is an inhibitor of platelet aggregation. Clopidogrel selectively inhibits the binding of adenosine diphosphate (ADP) to its platelet receptor and the glycoprotein GPIIb/IIIa complex, thereby inhibiting platelet aggregation.

Aspirin is also an antiplatelet agent. Aspirin acts by causing irreversible inhibition of the cyclooxygenase enzyme, which leads to decreased formation of thromboxane A₂ and ultimate inhibition of platelet aggregation.

Indication

Anlet Plus is indicated for the prevention of atherosclerotic events in patients with history of symptomatic atherosclerotic diseases (ischemic stroke, myocardial infarction or acute coronary syndrome), Angina pectoris, Peripheral arterial diseases.

Dosage and Administration

One **Anlet Plus** tablet once daily before meal or after meal. There is no need to dosage adjustment for elderly patient or patient with renal disease,

Contraindication

It is contraindicated to those who are hypersensitive to Clopidogrel or Aspirin or any of its components, suffering from excessive peptic ulcer or brain hemorrhage.

Precaution

Anlet Plus (Clopidogrel 75 mg & Aspirin 75 mg) should be used with caution in patient who may be at risk of increased bleeding from trauma, surgery of other pathological conditions.

Side effect

The most common clinically important common side effects are pruritus, purpura, diarrhea, and rash. Infrequent events includes intracranial hemorrhage (0.04%) and severe neutropenia (0.04%).

Use in Pregnancy & Lactation

Pregnancy: There are, however, no adequate and well-tolerated studies in pregnant women. Anlet Plus should be used during pregnancy only if clearly needed.

Lactation: It is not known whether Anlet Plus is excreted in human milk. Anlet Plus is not recommended for use during breast-feeding.

Use in Children

Safety and efficacy of Anlet Plus have not been established.

Drug Interaction

The safety of chronic concomitant administration of Aspirin. Heparin, Non steroidal anti-inflammatory drugs (NSAIDs), Warfarin, Phenytoin, Tamoxifen, Tolbutamide, Tonsemide, Fluvastatin with Clopidogrel has not been established. However, concomitant use should be undertaken with caution.

Commercial Pack

Each box contains 3x10 tablets in Alu-Alu blister strips.

Manufactured by:



Globe Pharmaceuticals Ltd.

Noakhali, Bangladesh.