

SULID VET

Sulphanilamide BP

(For veterinary use only)

COMPOSITION :

Sulid Vet is presented as a creamy white, odorless, crystalline powder containing sulphanilamide powder. Each 10 gm powder contains sulphanilamide BP 10 gm.

INDICATION :

The treatment of infections due to sulphonamide sensitive organisms notably streptococcal septicaemia; equine pneumonia due to streptococci; strangles, joint ill, metritis in mares, cows and ewes. As a dusting powder it can be used to the wounds by topical application.

DOSAGE AND ADMINISTRATION :

Animals upto 3 months of age :

Initial dose : 7.5 gm per 50 kg body weight.

Continuation : 2.5 gm per 50 kg body weight every eight hours.

Older animals :

Initial dose : 10 gm per 50 kg body weight.

Continuation : 5 gm per 50 kg body weight every twelve hours.

Total period of treatment should not normally exceed seven days.

CONTRAINDICATION :

Sulphanilamide does not produce side effects at a therapeutic dose but it is contraindicated at the high dose.

SIDE EFFECT :

The side effects include allergic rashes, diarrhoea, dehydration, debility, loss appetite, hypogalactia, digestive disturbances in ruminants and in other species. Depression, nausea, vomiting, crystalluria, haemolytic anaemia may also occur.

PRECAUTION :

Keep in a cool and dry place, away from light and the reach of children. To be dispensed only by or on the prescription of a registered veterinary physician.

SUPPLY :

100 gm, 20 gm and 10 x 10 gm. powder packed in polypack.

Manufactured by :

GLOBE PHARMACEUTICALS LTD.

(ANIMAL HEALTH DIVISION)

BANGLADESH.

