# Kaprovet

# (ORAL SOLUTION) Ciprofloxacin Hydrochloride USP (For veterinary use only)

#### PRESENTATION:

Each 100 ml solution contains 10 gm Ciprofloxacin that is equivalent to 11.644 gm Ciprofloxacin Hydrochloride USP.

# INDICATION:

Kaprovet is indicated for the infections caused by the following microorganisms such as E. coli, Salmonella spp, Mycoplasma spp, Colibacillosis, Salmonellosis, Pasteurollosis, Streptococcosis, Staphylococcosis, and infectious coryza. It is also indicated for the treatment of secondary bacterial infections due to viral diseases. In case of poultry, it is indicated for CRD (Mycoplasmosis), Colibacillosis, Salmonellosis, Pasteurollosis, Streptococcosis, Staphylococcosis and antipestifier infection as well as infectious coryza of ducks.

# DOSAGE & ADMINISTRATION:

Prevention: 1 ml Kaprovet solution to be added in 4-8 litre of drinking water and to be administered for consecutive 3 days.

**Treatment**: 1 ml **Kaprovet** solution to be added in 1-2 litre of drinking water and to be administered for consecutive 3-5 days or as directed by the registered veterinary physicians.

### SIDE EFFECT:

Side effects are mild and transitory. It includes weakness of the neonates, anaemia, anorexia and blurred vision.

#### CONTRAINDICATION:

The drug is contraindicated for the animal that has hypersensitivity to fluoroquinolone or any ingredient of the formulation.

#### CAUTION:

Kaprovet is not indicated with macrolides, chloramphenicol, tetracycline etc. and its absorption is delayed from stomach and intestine for the concomitant administration of aluminum and magnesium.

#### **USE IN PREGNANCY AND LACTATION:**

It can be used in pregnancy and lactation if it is necessary. SUPPLY:

Each bottle contains 100 ml solution.

Manufactured by:



Globe Pharmaceuticals Ltd.

Noakhali, Bangladesh